ENTRANCE POLICIES

The Huron East Roads Department shall consider the following criteria when reviewing all applications for new entrances or alterations to entrances:

- a) protection of the public through the orderly control of traffic movements on municipal roads.
- b) maintenance of the traffic carrying capacity of the road network.
- c) protection of the public investment in the Huron East road infrastructure.
- d) providing legal access onto municipal roads from adjacent private property.

Definitions

| Field Entrance: | provides access to agricultural fields. |
|------------------------------------|---|
| Farm Entrance: | provides access to farm buildings and agricultural lands. |
| Residential Entrance: | provides access to residential facilities of four units or less. |
| Commercial/Industrial Entrance: | provides access to a development where goods are manufactured or sold to the public and includes residential facilities of five or more units. |
| Temporary Entrance: | provides access to properties for a limited period not to exceed one year for the purpose of construction, repairs or improvement on that property or to facilitate a staged development. |

Location of Entrances

The Public Works Department may restrict the placement of an entrance or access onto the road in the interest of public safety. New entrances must be located in accordance with all local Municipal Zoning By-Laws, and so as to provide:

- a) no undue interference with the safe movement of public traffic, pedestrians, or other users of the highway.
- b) favourable vision, grade, and alignment conditions for all traffic using the proposed access to the road.

In general, new entrances will not be permitted at the following locations:

- a) in close proximity to intersections.
- b) within daylight triangles at intersections.
- c) where the following minimum sight distance requirements are not met.

| <u>Speed Li</u> | mit <u>Minimum Sight Distance</u> |
|--|--|
| 50 km/hr. 60 km/hr. 70 km/hr. 80 km/hr. | 165 metres 180 metres |
| m | ght distance shall be measured from an eye height of 1.05 metres easured 3.0 metres from the outer edge of the traffic lane to passenger r lights designated as 0.6 metres above the roadway surface. |
| | Design Standards |
| Entrance Grade: | The finished surface of the access must drop away from the edge of the highway driving surface at a slope of not less than 2% to at least the edge of shoulder rounding. |
| Field Entrance: | Shall be surfaced with at least 75 mm (3") crusher run gravel (Gran. "A"), and where a culvert is required its length must be sufficient to provide a 1:1 slope up from the ditch invert to an entrance width of 6.0 metres. |
| Farm or Residential Entrance: | Shall be surfaced with at least 150 mm (6") crushed gravel (Gran. "A"), and where a culvert is required its length must be sufficient to provide a 1:1 slope up from the ditch invert to an entrance width of 6.0 metres. |
| Commercial/Industrial Entrance: | Shall be surfaced with hot-mix asphalt and where a culvert is required its length will be dictated by the entrance design which will be site specific having regard for number and type of vehicles expected to utilize the entrance. |
| Curbs and/or Headwal | Is: No curb or headwall can extend above the surface of the roadway within the limits of the road allowance. All curbs and headwalls are constructed at the sole expense and risk of the applicant. |
| Maintenance of Entrances: | Property owners having access to a road are fully responsible for the maintenance of the access including the removal of snow and ice and keeping the portion of the access within the highway in a safe condition for vehicular traffic. |
| O. Library and Indovasi/00 Mu | A culvert that forms part of an entrance to a property shall be considered as part of the access to the subject property and shall remain the responsibility of the property owner to maintain and replace as necessary. The Pubic Works Coordinator has the authority, if in his opinion, the condition of the subject entrance adversely compromises the safety or integrity of the travelled portion of the road allowance to require the owner of the subject entrance to make such repairs or improvements as deemed |

necessary. If such repair or improvements are not made, the Public Works Coordinator, acting responsibly, shall make such necessary repairs and the costs of such repairs shall be recovered from the property owner. (By-Law 24-2013)

Curb and Gutter: Where curb and gutter exists at the location of the proposed entrance, the applicant will be required to construct a curb cut at the entrance location if required. The existing curb shall be removed and replaced using material acceptable to the Municipality or altered in accordance with the Roads Department. The area between the curb and sidewalk is to be paved with hotmix asphalt, concrete or paving stones in accordance with the Roads Department requirements.

Number and Width of Accesses:

It will be the policy of the Road Department to limit the width of entrances to discourage the construction of entrances wider than that required for the safe and reasonable use of the entrance.

All new curb cuts and entrances will be approved and coordinated by the Huron East Foreman/Manager, be a maximum of 6 metres in width, and all costs will be invoiced to the applicant.

That field entrances to farm properties shall be limited to one entrance per 400 metres of frontage subject to the following conditions: (By-Law 24-2013)

- i) Where the frontage to an open public road is bisected by a man-made or natural fixture such as a municipal drain, river or wood lot, additional entrance(s) may be permitted by the Public Works Coordinator if the lack of additional entrances would cause undue hardship or cause significant damage to man-made or natural fixtures.
- ii) Where the subject property is a corner lot, one additional field entrance will be allowed.
- iii) When an existing field entrance is or is proposed in a location that is a joint boundary between two properties, such joint entrance shall not be used in any determination of the number of permitted entrances.

Permit Fee:

A Fee in the amount of \$150.00 (By-Law 005-2023) will be collected prior to the issuance of an entrance permit.

Cancellation of Permit:

Where the entrance has not been constructed within one year of the date of the Permit, then the Permit shall be null and void.

SCHEDULE "A"

APPLICATION FOR A NEW ENTRANCE

(Includes modifications to an existing entrance)

| | | DATE: | |
|--------------------------------|----------|--------------------------|----------------------|
| NAME OF APPLICANT: | | | |
| MAILING ADDRESS: | | TELEPH | ONE: |
| | | Re | s: |
| | | Bu | s: |
| | | _ | |
| | | | |
| Location of Proposed Entrance: | | <u>Roll Num</u> | ber: 4040- |
| side of Road Name | | at l | Lot |
| Concession | in the | Ward of | or Registered |
| Plan # in the former Munici | pality o | f | |
| Type of Entrance: | | | |
| Field Entrance | | Farm Entrance | Residential Entrance |
| Temporary Entrance | | Commercial/Industrial Er | ntrance |
| Sketch of Area: | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

Sketch to include:

- Approx. total length of frontage (also show buildings).
- Any other entrances to property.
- Distances between existing and proposed entrances including any nearby entrances on other properties.
- Other features: i.e. intersections, curves, etc.

SCHEDULE "A" FOR HURON EAST FOREMAN'S USE ONLY

| CHECK: Is the | ne visibility adequate in ea | ach direction? | | |
|--|---|----------------------------|-----------------------|----------|
| YES | or | List Problems. | | |
| | | | | |
| Requirements for - Top width | Pipe: required on Entrance | m | - Length of Pipe | m |
| - Diameter | of Pipe | mm | - No. of Couplers | |
| Reason for New A | Access: | | | |
| Installation by: | | | | |
| Contractor | | | Owner | |
| Date Completed by | y: | | | |
| | FOR OF | FICE USE ON | LY | |
| <mark>coordinated by tl</mark> | licy <u>: All new cur</u> 1e Huron East Foremar 1e invoiced to the applic | <mark>n/Manager, be</mark> | | |
| Decision of Road | Authority: Approv | ved | Not Approved | 1 |
| Conditions: | | | | |
| | y: | | | |
| Applicant Advised | : | | Deposit: | |
| Cost Calculation: | | | Fee: | \$150.00 |
| С | heques to be made Payabl | le to the Munic | ipality of Huron East | |

O:\Library and Indexes\00 - Municipal Library - Electronic\H-30 Huron East, Municipality of\H-30-4 Applications and Policies & Procedures\Policies and Procedures\3. Transportation Services\3.04A - Laneway Entrance Policy.doc Revised Jan 18, 2023

SCHEDULE "C" <u>APPLICATION FOR A NEW ROAD CROSSING / BORE</u>

(Includes modifications to an existing entrance)

| | | | DAT | E: | |
|---------------------------------------|----------|----------|---------------|----------|---------------------------|
| NAME OF APPLICANT: | | | | | |
| MAILING ADDRESS: | | | TEL | EPHON | IE: |
| | | _ | | Res: | |
| | | _ | | Bus: | |
| | | _ | | Fax: | |
| Email: | | _ | | | |
| Location of Proposed Crossing: | | | <u>Roll</u> | Number | r: 4040- |
| Please include 911 number on both | sides of | crossing | and closest i | ntersect | ing roads in description. |
| | | | | | |
| | | | | | |
| | | | | | |
| Type of Crossing or Road Bore: | | | | | |
| HYDRO | | GAS | | | TELEPHONE |
| CABLE | | FARM | | | OTHER |
| Sketch of Area: | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Sketch to include:

- Approx. total length of frontage (also show buildings).
- Any other entrances to property.
- Distances between existing and proposed entrances including any nearby entrances on other properties.
- Other features: i.e. intersections, curves, etc.

SCHEDULE "C" FOR HURON EAST FOREMAN'S USE ONLY

| CHE | C K: 1 | s the visibility adequate in e | ach direction? | | |
|--------------|--------------------|--|-------------------------|-----------------------|--------------|
| | YES | or | List Problems. | | |
| Requ | | for Pipe: idth required on Entrance ter of Pipe | | n of Pipe Couplers | m |
| Reaso | on for Nev | w Crossing: | | | |
| Instal | llation by | : | | | |
| | Contrac | tor | Owner | | |
| Contr | actor Con | tact Name & Number | | | |
| Date (| Completed | l by: | | | |
| Com | nents re. | Policy: | | | |
| | | surance – minimum \$2 Mi | lion | | |
| | SIB Clea | | | | |
| | | ffic Control Plan | | | |
| | | age resulting from the | | | <u>e and</u> |
| <u>respo</u> | <u>nsibility (</u> | of the contractor/owner re | questing the road bore/ | crossing | |
| | | FOR OF | FICE USE ONLY | | |
| | | | Policy reviewed by: | | |
| | Decision | n of Road Authority: | Approved | Date: | |
| | | | Not Approved | l | |
| Appli | cant Advi | sed: | Fee Paid: \$ | | |
| Cost (| Calculatio | n: | Fee Calculation: \$150 | .00 | |
| | | | | | |

Cheques to be made Payable to the Municipality of Huron East

The Corporation of the Municipality of Huron East By-Law 29 - 2013 Schedule "A" Policy for Private Crossings On Municipal Drains

Policy Statement and Purpose:

The Municipality of Huron East has established a policy to provide a process to establish private drain crossings on municipal drains which have been constructed under the authority of the <u>Drainage Act</u> and are maintained by the Corporation of the Municipality of Huron East.

The purpose of the private drain crossing policy is to ensure that the necessary permits are obtained from regulatory authorities such as, but not limited to, the Conservation Authority having jurisdiction in the area and to ensure that such private drain crossings do not adversely affect the operation or capacity of the municipal drain.

Procedure:

- Landowners who wish to install a private drain crossing on a municipal drain shall complete an "Application for a New Municipal Drain crossing" attached hereto as Schedule "B".
- 2. The Application for a New Municipal Drain Crossing shall be reviewed by the Huron East Drainage Superintendent, who in his capacity as Drainage Superintendent, and under the provisions of the <u>Drainage Act</u>, shall give permission to install private crossings with specified conditions to maintain the operation and capacity of the Municipal Drain.
- 3. That if in the opinion of the Drainage Superintendent, the services of a Professional Engineer are required to provide advice pertaining to the size or installation methods of said crossing, the Drainage Superintendent shall notify the property owner of the additional advice required, and with the consent of the property owner to assume responsibility for the extra costs, shall engage the services of a Professional Engineer to assist with the private drain crossing request.
- 4. The Landowner or his representative, shall be responsible for filing an application (attached hereto as Schedule "C" with the relevant Conservation Authority and obtain the necessary permits/approvals from the Conservation Authority prior to the installation of the private drain crossing.

THE CORPORATION OF THE MUNICIPALITY OF HURON EAST

BY-LAW 29-2013

SCHEDULE "B"

APPLICATION FOR PRIVATE CROSSING ON MUNICIPAL DRAIN

DATE:

| MAILING ADDRESS: | TELEPHONE: |
|--|-------------------|
| | Telephone: |
| | Cell Phone: |
| | Fax: |
| | E-Mail: |
| Drain Information: | |
| Drain Name: | |
| _ot: | |
| Concession: | |
| Ward: | _ |
| Crossing Details: | |
| Describe Location (attach sketch if necessary) | |
| Section Location (attach sketch in necessary) | |

Top Width Required for Entrance _____

Length of Pipe Proposed _____

Diameter of Pipe Proposed _____

Landowner

or Landowner Representative Signature

FOR USE BY HURON EAST DRAINAGE SUPERINTENDENT ONLY

| Name of Drain | |
|--------------------|--|
| Lot and Concession | |
| Ward | |

Fisheries Classification _____

Permission Given To Insert Crossing (Details)

Conditions:

- 1. Owner must obtain a permit to construct a crossing from the _____ Conservation Authority
- 2. Owner must install the crossing in compliance with the permit issued by the Conservation Authority.
- 3. Owner shall ensure that the installation of the crossing does not obstruct the drainage works (Drainage Act, Section 80).
- 4. Permit fee of \$120.00 paid to the Municipality of Huron East prior to construction.
- 5. Other _____

(Drainage Superintendent Signature)

(Date)_____

HURON EAST ADMINISTRATION ______ \$150.00 application fee received

_____ File copy in Drain File.



Ausable Bayfield Conservation Authority

APPLICATION FOR PERMISSION PURSUANT TO ONTARIO REGULATION 147/06 Regulation of Development, Interference with Wetlands and Alterations to Shorelines and Watercourses

| OFFICE USE ONLY | | | |
|-----------------|-------------|--|--|
| Application # | | | |
| Fee Received | <u>s</u> | | |
| Date Received | / / | | |
| □ L 1 □ L 2 | □ Multi-Lot | | |

Please consult Authority Staff or current fee schedule for application fee. (Please Note: Violations are subject to an additional violation charge.)

| A. APPLICANT: | | | |
|---|--|---|---|
| Owner'(s) Name(s): | | | Phone: |
| Address: | | | Postal Code: |
| Contractor's Name: | | | Phone: |
| Address: | | | Postal Code: |
| Applicant is the: | □ Agent | □ Prospect | tive Purchaser |
| B. LOCATION OF PROPERTY: | | | |
| Municipality: | | Ward: | 911#: |
| Property Description: Lot Co | oncession | Plan No.: | Lot: |
| C. APPLICATION IS HEREBY MADE | то: | | |
| \bigcirc Erect a structure: \Box House \Box She | ed □ B | arn 🗆 Other (s | specify) |
| O Place Fill O Remove Fill | | | |
| ○ Alter a watercourse by constructing: □ Pond □ Crossing □ Dat □ Other (specify) | m □B | ank Protection | Docking Facilities |
| D. DETAILED INFORMATION REGA This application is to be accompanied by two ((i) The subject property in relation to adjac (eg. ravines); the lot numbers, plan numl (ii) Size and dimension of the subject proper buildings, watercourses, slopes, etc, prop (iii) Elevation (height) of proposed work abc areas of cut/fill if applicable, amount and (iv) Detailed construction drawings of the pr Additional information may be required, at the | 2) copies of a ent watercours ber, concession rty, existing bu posed slopes a ove or below th d type of fill if roposed work. | map and/or plan showin ses, drains, roads, buildi n, north arrow, with din uildings, location and si nd gradients, if applicat he existing grade at the s placed; | ng: ing (if applicable), landforms hensions; ze of proposed work relating to ble; site (eg. cross sectional view); |
| E. TIMING OF THE PROJECT: | | | |
| Proposed start date: | | Anticipated completic | on date: |
| | | | |
| /we, the undersigned, hereby certify to the best of my correct and true. I/we further solemnly declare that $I/$ pecifically the terms and conditions and the declarati | we have read an | d fully understand the con | tents of this application, and |

Owner

OwnerAuthorized AgentReturn application with applicable fee payable to: Ausable Bayfield Conservation Authority
71108 Morrison Line RR#3 Exeter Ontario N0M 185 • 519-235-2610 • (f) 519-235-1963

TERMS AND CONDITIONS

- 1. Permission granted by the Authority, <u>will expire one (1) year from date of issue unless otherwise</u> <u>stated in permit.</u> No further work will be carried out on the project beyond the date of expiry without prior written approval of an extension by the Ausable Bayfield Conservation Authority.
- 2. Permission granted by the Authority can not be transferred without prior written approval by the Ausable Bayfield Conservation Authority.
- 3. Approvals, permits, etc. may be required from other agencies prior to undertaking the work proposed. Authority permission, if granted for the proposed work, does not exempt the owner/agent/applicant from complying with any or all other approvals, laws, statutes, ordinances, directives, regulations, etc. that may affect the property or the use of same.
- 4. Should the information provided on or with this application be untrue or incorrect, or become untrue or incorrect, the Ausable Bayfield Conservation Authority reserves the right to withdraw the permission for the proposed work. The Authority may elect to proceed with further actions to correct the information or if necessary to have the works modified or removed in whole or in part, at the cost of the individual if convicted of a contravention of the regulation.

DECLARATION

I/we certify that I/we will abide by Ontario Regulation 147/06 as may be amended from time to time.

I/we agree to allow representatives of the Ausable Bayfield Conservation Authority on the site of the proposed work so that they may obtain information pertaining to the application and to review the work when undertaken.

I/we further agree to undertake or obtain, at my/our cost, further information, studies, reports, etc., prepared by others, if such is required by the Authority to properly review the application.

NOTICE TO APPLICANT

Pursuant to Bill 49, the <u>Municipal Freedom of Information and Protection of Privacy Act, 1989</u> legal authority to collect information <u>Conservation Authorities Act, R.S.O. 1990</u>.

Principal purpose for which personal information collected on this document is intended to be used:

- a. the assessment of proposed works/undertakings relative to Ontario Regulation 147/06 and water and related land management concerns;
- b. distribution of information to the applicant relating to programs and projects of the Conservation Authority;
- c. watershed planning.

The General Manager of the Conservation Authority can answer questions about the collection of information.

As the applicant, I conform that I have read and agree to the principal purposes for which the personal information is intended to be used.

Maitland Valley Conservation Authority



Providing leadership to protect and enhance our water, forests and soils!

APPLICATION FOR DEVELOPMENT, INTERFERENCE WITH WETLANDS AND ALTERATIONS TO SHORELINE AND WATERCOURSES Under Ontario Regulation 164/06

MVCA USE: Application No.

| Applicant's Name: | |
|--|--|
| Mailing Address: | Town:Postal Code: |
| Telephone Number: Residence:() | Business:() |
| Fax:()Email: | |
| Contractor's or Agent's Name: (if applicable) | |
| Mailing Address: | Town:Postal Code: |
| Phone Number: | Fax:() |
| Email: | |
| Lot:Concession: Registered Plan: | Ward: Municipal Street Address: Lot: |
| Development Applicants Only Zoning Status: | Official Plan Status: |
| Proposed Start Date: | Proposed Completion Date: |

Type of Development Proposed: (complete all sections that apply)

Construction/Reconstruct/Place a building or structure

Place/Alter/Expand/Renovate a building or structure

a) Proposed Use of Building or Structure_____

b) Area of New Structure

c) Area of Existing Structure (if applicable)_____

d) Will structure have a basement ()Yes ()No

e) Elevation of lowest external opening (window, door, etc.) in relation to existing grade

Place/Remove fill or site grading

| a) Type of Fill |
|---|
| b) Depth of Fill |
| c) Proposed final grade of land |
| d) Proposed means of stabilizing area |
| e) Proposed use of land when completed |
| Other Information: |
| Alteration to a watercourse by constructing a (please circle) |
| Crossing Pond Dam Channel Bank Protection Other |
| Describe Proposed Works |
| Alter a Wetland Describe Proposed Works |
| <i>Alter a shoreline</i> Describe Proposed Works |

This application must include four (4) site sketches to scale of the proposed area indicating the following:

- 1. Location of the property in relation to surrounding buildings, streets, roadways, etc. (to scale)
- 2. Size and dimensions of property (to scale)
- 3. Location and size of all existing structures on the property
- 4. Direction and method of drainage on the property
- 5. Location of any watercourse or open water on or near the property
- 6. Proposed use of each floor within the proposed structure
- 7. Location, dimension, and elevations of proposed structures relative to current elevation
- 8. Elevation of any window, doors, vents or other exterior openings in relation to final grade
- 9. A front view of the basement and first floor with specification of the minimum (lowest) opening and basement floor slab elevations
- 10. The difference between final and existing grades
- 11. The plan must be referenced to a datum on MVCA flood plain mapping
- 12. Location of sanitary disposal system, if needed
- 13. The site sketch must have a title and date and be referenced below:

| TITLE: | DATE: | |
|--------|-------|--|
|--------|-------|--|

PLEASE NOTE: Upon receipt of this application, the Maitland Valley Conservation Authority will make a decision regarding a permit. Any deviation from the representation contained on this application may result in the withdrawal of any Permit issued on the basis of this application. If you have not yet purchased the property, please attach a copy of the Offer to Purchase, or a Statement of Interest to purchase.

I hereby declare the above information to be true and correct.

Signature of Owner

THE CORPORATION

OF THE

MUNICIPALITY OF HURON EAST

BY-LAW NO. 23 FOR 2001

Consolidated Version (Aug 2018; amended by By-laws 3-2007 and 24-2013)

Being a by-law to regulate the construction or alteration of any

entranceways, private roads or access to a municipal road.

WHEREAS Section 308 (3) of the Municipal Act, R.S.O. 1990, as amended provides that By-laws may be passed by the Council of every Municipality for placing or permitting any person under such conditions as may be agreed upon to place, construct, install, maintain and use objects in, on, under or over sidewalks and highways under its jurisdiction, to permit any person to make, maintain and use areas under and openings in the highways and sidewalks, for prescribing the terms and conditions upon which the same are to be placed, constructed, installed, maintained or used and for making such annual or other charge for the privilege conferred by the by-law as it considers reasonable;

AND WHEREAS it is deemed necessary and desirable to regulate the construction and alteration of entranceways, private roads or other facilities that permit access to municipal roads;

AND WHEREAS the Council of the Corporation of the Municipality of Huron East deems it expedient to control entranceways onto municipal roads and provide for the issuing of permits related thereto;

NOW THEREFORE, the Council of the Corporation of the Municipality of Huron East enacts as follows:

- 1. THAT in this By-Law:
 - a) "Council" shall mean the Council of the Corporation of the Municipality of Huron East;
 - b) "Municipal Road" shall mean all roads included in the Municipality of Huron East, including those roads in the former municipalities of the Town of Seaforth, the Village of Brussels, the Township of Grey, the Township of McKillop and the Township of Tuckersmith, but not including "County Roads" as defined in By-Law No. 5, 1967 of the County of Huron and any amendments thereto.

- 2. THAT no person shall construct or alter or cause to be constructed or altered any private road, gate or other structure or facility that permits access to any municipal road, unless such access has been approved by an authorized officer as evidenced by the issuance of an entrance permit.
- 3. THAT no person shall make or permit any change of use of any private road, entranceway, gate or other structure or facility that permits access to any municipal road, unless such access has been approved by an authorized officer as evidenced by the issuance of an entrance permit.
- 4. THAT an entrance permit may be issued by the Public Works Coordinator in accordance with the standards, policies and fees set out in Schedule "B" of this By-Law.
- 5. THAT any such access/entrance constructed, altered, or the use of which has been changed, under the provisions of this By-Law shall conform to the standards and principles set out in the policies in Schedule "B" of this By-Law and shall further comply with all terms and conditions attached to any entrance permit issued hereunder.
- 6. THAT all costs associated with an entrance permit and construction of the entrance access in accordance with the terms of the permit will be the responsibility of the applicant.
- 7. THAT the entrance permit be in the form set out in Schedule "A" attached hereto and forming part of this By-Law and that the permit, where necessary, shall include the terms and conditions for the construction of the said entrance or access as required by the authorized officer issuing the said permit.
- 8. THAT every person who contravenes any provision of this By-Law shall upon conviction be liable to payment of at least \$500.00 for a first offence and \$1,000.00 for a second or succeeding offence, exclusive of costs and every such penalty shall be recoverable under the provisions of the Provincial Offences Act as amended from time to time.
- 9. THAT the Public Works Coordinator be authorized to remove any unauthorized access from the Road Allowance.
- 10. THAT this By-Law shall come into force and take effect upon the final passing thereof.

Read a first time February 20, 2001. Read a second time February 20, 2001. Read a third time and finally passed on February 20, 2001.

C:\Users\soliver\AppData\Local\Microsoft\Windows\Temporary Internet Files\Content.Outlook\W1BODIWZ\01-023 REVISED DRAFT Aug 2018.doc

Mayor

Clerk

SCHEDULE "B"

ENTRANCE POLICIES

The Huron East Roads Department shall consider the following criteria when reviewing all applications for new entrances or alterations to entrances:

- a) protection of the public through the orderly control of traffic movements on municipal roads.
- b) maintenance of the traffic carrying capacity of the road network.
- c) protection of the public investment in the Huron East road infrastructure.
- d) providing legal access onto municipal roads from adjacent private property.

Definitions

| Field Entrance: | provides access to agricultural fields. |
|------------------------------------|---|
| Farm Entrance: | provides access to farm buildings and agricultural lands. |
| Residential Entrance: | provides access to residential facilities of four units or less. |
| Commercial/Industrial Entrance: | provides access to a development where goods are manufactured or sold to the public and includes residential facilities of five or more units. |
| Temporary Entrance: | provides access to properties for a limited period not to exceed one year for the purpose of construction, repairs or improvement on that property or to facilitate a staged development. |

Location of Entrances

The Public Works Department may restrict the placement of an entrance or access onto the road in the interest of public safety. New entrances must be located in accordance with all local Municipal Zoning By-Laws, and so as to provide:

- a) no undue interference with the safe movement of public traffic, pedestrians, or other users of the highway.
- b) favourable vision, grade, and alignment conditions for all traffic using the proposed access to the road.

SCHEDULE "B" (cont'd)

In general, new entrances will not be permitted at the following locations:

- a) in close proximity to intersections.
- b) within daylight triangles at intersections.
- c) where the following minimum sight distance requirements are not met.

| Speed Limit | Minimum Sight Distance | | |
|-------------|------------------------|--|--|
| 50 km/hr. | 135 metres | | |
| 60 km/hr. | 165 metres | | |
| 70 km/hr. | 180 metres | | |
| 80 km/hr. | 200 metres | | |

<u>Note:</u> Sight distance shall be measured from an eye height of 1.05 metres measured 3.0 metres from the outer edge of the traffic lane to passenger car lights designated as 0.6 metres above the roadway surface.

Design Standards

- **Entrance Grade:** The finished surface of the access must drop away from the edge of the highway driving surface at a slope of not less than 2% to at least the edge of shoulder rounding.
- **Field Entrance:** Shall be surfaced with at least 75 mm (3") crusher run gravel (Gran. "A"), and where a culvert is required its length must be sufficient to provide a 1:1 slope up from the ditch invert to an entrance width of 6.0 metres.
- Farm or ResidentialShall be surfaced with at least 150 mm (6") crushed gravel (Gran.Entrance:"A"), and where a culvert is required its length must be sufficient
to provide a 1:1 slope up from the ditch invert to an entrance width
of 6.0 metres.
- Commercial/IndustrialShall be surfaced with hot-mix asphalt and where a culvert is
required its length will be dictated by the entrance design which
will be site specific having regard for number and type of vehicles
expected to utilize the entrance.
- **Curbs and/or Headwalls:** No curb or headwall can extend above the surface of the roadway within the limits of the road allowance. All curbs and headwalls are constructed at the sole expense and risk of the applicant.

SCHEDULE "B" (cont'd)

| Maintenance of Entrances: | Property owners having access to a road are fully responsible for the maintenance of the access including the removal of snow and ice and keeping the portion of the access within the highway in safe condition for vehicular traffic. | | | |
|-------------------------------|--|--|--|--|
| | A culvert that forms part of an entrance to a property shall be considered as part of the access to the subject property and shall remain the responsibility of the property owner to maintain and replace as necessary. The Pubic Works Coordinator has the authority, if in his opinion, the condition of the subject entrance adversely compromises the safety or integrity of the travelled portion of the road allowance to require the owner of the subject entrance to make such repairs or improvements as deemed necessary. If such repair or improvements are not made, the Public Works Coordinator, acting responsibly, shall make such necessary repairs and the costs of such repairs shall be recovered from the property owner. (as per By-law 24-2013) | | | |
| Curb and Gutter: | Where curb and gutter exists at the location of the proposed entrance, the applicant will be required to construct a curb cut at the entrance location if required. The existing curb shall be removed and replaced using material acceptable to the Municipality or altered in accordance with the Roads Department. The area between the curb and sidewalk is to be paved with hot- mix asphalt, concrete or paving stones in accordance with the Roads Department requirements. | | | |
| Number and Width of Accesses: | | | | |

It will be the policy of the Road Department to limit the width of entrances to discourage the construction of entrances wider than that required for the safe and reasonable use of the entrance.

All new curb cuts and entrances will be approved and coordinated by the Huron East Foreman/Manager, be a maximum of 6 metres in width, and all costs will be invoiced to the applicant.

SCHEDULE "B" (cont'd)

That field entrances to farm properties shall be limited to one entrance per 400 metres of frontage subject to the following conditions:

- i) Where the frontage to an open public road is bisected by a man-made or natural fixture such as a municipal drain, river or wood lot, additional entrance(s) may be permitted by the Public Works Coordinator if the lack of additional entrances would cause undue hardship or cause significant damage to man-made or natural fixtures.
- ii) Where the subject property is a corner lot, one additional field entrance will be allowed.
- iii) When an existing field entrance is or is proposed in a location that is a joint boundary between two properties, such joint entrance shall not be used in any determination of the number of permitted entrances. (By-law 24-2013)

Permit Fee:

A Fee in the amount of \$150.00 will be collected prior to the issuance of an entrance permit.

Cancellation of Permit:

Where the entrance has not been constructed within one year of the date of the Permit, then the Permit shall be null and void.

SCHEDULE "A" APPLICATION FOR A NEW ENTRANCE

(Includes modifications to an existing entrance)

| | DATE: | | | | |
|--------------------------------|-----------|-------------------|------------|-----------------|------------|
| NAME OF APPLICANT: | | | | | |
| MAILING ADDRESS: | | TEI | LEPHON | E: | |
| | | _ | Res: | | |
| | | _ | Bus: | | |
| | | _ | | | |
| Location of Proposed Entrance: | | Roll | l Number | <u>:: 4040-</u> | |
| side of Road Name | | | at Lot | | |
| Concession | in the | Ward of | | or | Registered |
| Plan # in the former Munic | ipality c | of | | | |
| Type of Entrance: | | | | | |
| Field Entrance | | Farm Entrance | | Residentia | l Entrance |
| Temporary Entrance | | Commercial/Indust | rial Entra | nce | |
| Sketch of Area: | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Sketch to include:

- Approx. total length of frontage (also show buildings).
- Any other entrances to property.
- Distances between existing and proposed entrances including any nearby entrances on other properties.
- Other features: i.e. intersections, curves, etc.

 $\label{eq:c:Users} C: Users \old the content. Outlook \w1BODIWZ \old the content. Outlook \w1BODIWZ$

SCHEDULE "A" FOR HURON EAST FOREMAN'S USE ONLY

| CHECK: Is the visibility adec | quate in each direction? |
|--|---|
| YES or | List Problems. |
| | |
| Requirements for Pipe: - Top width required on En - Diameter of Pipe | trance m - Length of Pipe m m - No. of Couplers |
| Reason for New Access: | |
| Installation by: Contractor Data Completed by: | Owner |
| Comments re. Policy: <u>All</u> | FOR OFFICE USE ONLY new curb cuts and entrances will be approved and Foreman/Manager, be a maximum of 6 metres in width, he applicant. |
| Decision of Road Authori | |
| Applicant Advised: | |
| Cost Calculation: | Fee:\$150.00 |

Cheques to be made Payable to the Municipality of Huron East

 $\label{eq:c:Users} C: Users \old the content. Outlook \w1BODIWZ \old the content. Outlook \w1BODIWZ$

SCHEDULE "C" APPLICATION FOR A NEW ROAD CROSSING / BORE

(Includes modifications to an existing entrance)

| | | | DAT | E: | |
|-----------------------------------|----------|------------|----------------|-----------|---------------------------|
| NAME OF APPLICANT: | | | | | |
| MAILING ADDRESS: | | | TELI | EPHON | Е: |
| | | _ | | Res: | |
| | | _ | | Bus: | |
| | | _ | | Fax: | |
| Email: | | _ | | | |
| Location of Proposed Crossing: | | | <u>Roll I</u> | Number | : 4040- |
| Please include 911 number on both | sides of | crossing a | and closest in | ntersecti | ing roads in description. |
| | | | | | |
| | | | | | |
| Type of Crossing or Road Bore: | | | | | |
| HYDRO | | GAS | | | TELEPHONE |
| CABLE | | FARM | | | OTHER |
| Sketch of Area: | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Sketch to include:

- Approx. total length of frontage (also show buildings).
- Any other entrances to property.
- Distances between existing and proposed entrances including any nearby entrances on other properties.
- Other features: i.e. intersections, curves, etc.

 $\label{eq:c:Users} c:\label{eq:c:Users} oliver\\AppData\\Local\\Microsoft\\Windows\\Temporary Internet Files\\Content.Outlook\\W1BODIWZ\\01-023 REVISED DRAFT Aug 2018.doc$

SCHEDULE "C" FOR HURON EAST FOREMAN'S USE ONLY

| CHECK: Is the | he visibility adequate in | each direction? | |
|-------------------------------------|-----------------------------------|----------------------------------|--------------------------------|
| YES | or | List Problems. | |
| - | h required on Entrance of Pipe | m - Length of m - No. of Co | [°] Pipe m puplers |
| Installation by: | | | |
| Contractor | | Owner | |
| Contractor Contac | t Name & Number | | |
| Date Completed by | y: | | |
| Comments re. Po | licy: | | |
| | rance – minimum \$2 N | fillion | |
| (2) WSIB Clearan | | | |
| (3) Submit Traffi (4) Any damage | | road bore/crossing will | he at the expense and |
| | | requesting the road bore/cro | |
| | FOR (| OFFICE USE ONLY | |
| | | Policy reviewed by: | _ |
| Decision o | f Road Authority: | Approved Dat Not Approved | e: |
| Applicant Advised | 1: | Fee Paid:\$ | |
| Cost Calculation: | | Fee Calculation: <u>\$150.00</u> | |

 $\label{eq:c:Users} C: Users \old content. Outlook \w1BODIWZ \old content. Outlook \w1BODIWZ$

Cheques to be made Payable to the Municipality of Huron East